

## imageRUNNER 2206

# QUALITY BUILT ALL-IN- ONE PRINTER OFFERING GREAT VALUE AND HIGH EFFICIENCY

Packed with time saving features, the imageRUNNER 2206 speeds up everyday document handling offering print, copy and scanning in a single, compact device. Its durable design makes it ideal for busy, cost-conscious small offices or workgroups.



- Durable and reliable, with print, copy and scanning speeds up to 22ppm (A4), the imageRUNNER 2206 can replace other office document handling devices
- For the most cost-conscious environments, the imageRUNNER 2206 has a full toner included in the box, with a yield of up to 10,200 pages
- Easy to set up and configure in minutes with a built-in setup guide that thoroughly simplifies the installation process
- Compact design, an ideal space-saving solution as either desktop or floor-standing with optional plain pedestal
- A customisable 3.5 inch touchscreen, available in a wide choice of languages, provides straightforward, user-friendly operation
- Scan-to-email and converting originals to searchable, high compression PDF formats is supported via Canon's smart MF Scan Utility
- Energy efficiency is assured with class-leading TEC rating



22ppm



Touch Panel



Print, copy & scan



330 sheets



Energy efficient

**Canon**

---

# TECHNICAL SPECIFICATIONS

# imageRUNNER 2206

## MAIN UNIT

<b>Machine type</b>	Monochrome A3 Laser Multifunctional
<b>Core functions</b>	Print, Copy and Scan with standard C-EXV 42 Black Toner (yield: 10,200 pages)
<b>Processor/Processor speed</b>	Canon Dual Custom Processor/400 MHz
<b>Control panel</b>	8.9 cm (3.5 inch) monochrome Touchscreen
<b>Memory</b>	Standard: 256MB RAM
<b>Interface connection</b>	USB 2.0 (Device) x 1
<b>Paper supply capacity (A4, 80gsm)</b>	Standard: 330 sheets Paper Cassette: 250-sheet Multi-purpose tray: 80-sheet Maximum: 330 sheets
<b>Paper output capacity (A4, 80gsm)</b>	250 sheets
<b>Finishing capabilities</b>	Collate, Rotate & Collate, Group, Rotate & Group
<b>Supported media types (Standard)</b>	Multi-purpose tray: Plain, Recycled, Thick, Colour, Transparency, Label, Envelope, Bond, Pre-punched Cassette 1: Plain, Recycled, Colour, Pre-punched
<b>Supported media sizes (Standard)</b>	Multi-purpose tray: Standard size: A3, B4, A4, A4R, B5, B5R, A5, A5R, Envelope[No.10 (COM10), Monarch, DL, ISO-C5] Custom size: 95 mm x 148 mm to 297 mm x 431.8 mm Upper Cassette 1 Standard size: A3, B4, A4, A4R, B5, B5R, A5R
<b>Supported media weights</b>	Multi-purpose tray: 64 to 128 gsm Upper Cassette 1: 64 to 90 gsm
<b>Warm-up time</b>	From Power On: 13 Seconds or Less * From Sleep Mode: 4.3 Seconds *Time from device power on, until copy ready (not print reservation)
<b>Dimensions (W x D x H)</b>	622 mm x 589 mm x 499 mm (standard configuration)
<b>Installation space (W x D)</b>	1,023 mm x 1,285 mm (with cassette and left side door open and multi purpose tray extended)
<b>Weights</b>	Approx. 28.7 kg (standard configuration, toner included)

## PRINT SPECIFICATIONS

<b>Printing method</b>	Monochrome Laser Beam Printing
<b>Print speed (BW)</b>	22 ppm (A4), 11 ppm (A3), 11 ppm (A4R), 13 ppm (A5R)
<b>Print resolution</b>	600 dpi x 600 dpi
<b>Page description languages</b>	UFR II Lite (Standard)
<b>Operating system</b>	UFR II Lite: Windows 7/Windows 8.1/Windows 10/ Windows Server 2008/Server 2008 R2/Server 2012/Server 2012 R2/Server 2016, MAC OS X (from 10.9.5 or later) Please refer to <a href="http://software.canon-europe.com/">http://software.canon-europe.com/</a> for availability of print solutions for other operating systems and environments including AS/400, UNIX, Linux and Citrix. Some of these solutions are chargeable.

## COPY SPECIFICATIONS

<b>Copy Speed</b>	22 ppm (A4), 11 ppm (A3), 11 ppm (A4R), 13 ppm (A5R)
<b>First copy out time (A4)</b>	Approx. 7.4 seconds or less
<b>Copy resolution</b>	Reading: 600 dpi x 600 dpi Printing: 600 dpi x 600 dpi
<b>Multiple copies</b>	Up to 999 copies
<b>Copy exposure</b>	Automatic or Manual (9 Levels)
<b>Magnification</b>	25% - 400% (1% Increments)
<b>Pre-set Reductions</b>	25%, 50%, 70%
<b>Pre-set Enlargements</b>	141%, 200%, 400%

## SCAN SPECIFICATIONS

<b>Type</b>	Standard Flatbed (Platen)
<b>Acceptable origin type, height and weight</b>	Sheet, Book, 3-Dimensional Objects (Height: up to 40 mm, Weight: up to 2kg)
<b>Supported media sizes</b>	Max. scanning size 297 x 431.8 mm
<b>Scan speed (BW/CL; A4)</b>	Single-sided: 23 ipm (300dpi)/12 ipm(300 dpi) 2-sided to 2-sided: manual via platen glass
<b>Scan resolution</b>	BW Scan: 600 x 600 dpi CL Scan: 300 x 600 dpi
<b>Pull scan specifications</b>	MF Scan Utility can be downloaded from Canon Business Product Support Site ( <a href="http://software.canon-europe.com/">http://software.canon-europe.com/</a> ) Supported OS: Windows 7/8.1/10 Windows Server 2008/Server 2008 R2/Server 2012/Server 2012 R2/Server 2016 /Mac OS X (from 10.9.5 or later)
<b>Scan method</b>	MF Scan Utility

## ENVIRONMENTAL SPECIFICATIONS

<b>Operating environment</b>	Temperature: 10 to 30 °C (50 to 86 °F) Humidity: 20 to 80 % RH (no condensation)
<b>Power source</b>	220-240 V (±10 %), 50/60 Hz (±2 Hz), 2.7 Amp
<b>Power consumption</b>	Maximum: Approx. 1.5 kW Printing: 435 W Standby: 10.1 W Sleep Mode: Approx. 2.0 W <sup>1</sup> Plugin Off: Approx. 0.1W Typical Electricity Consumption (TEC) rating: 0.8 kWh <sup>2</sup>

## SOFTWARE AND PRINTER MANAGEMENT

<b>Scanning software</b>	MF Scan Utility
--------------------------	-----------------

## CONSUMABLES

<b>Toner cartridge/s</b>	C-EXV 42 Black Toner (First toner bottle included in the box)
<b>Toner yield (estimated yield @ 6% coverage)</b>	10,200 pages (A4)

## OTHER OPTIONS

<b>Optional plain Pedestal</b>	The pedestal can be placed under the standard cassette to raise the device when free-standing. (Height of Pedestal: 450 mm)
--------------------------------	---

## Footnotes

- <sup>1</sup> 2 watt sleep mode may not be possible in all circumstances. Certain network configurations and options may prevent the device from entering deep sleep mode. Please refer to the user guide for more information.
- <sup>2</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

**QUALITY BUILT ALL-IN-ONE  
PRINTER OFFERING GREAT  
VALUE AND HIGH EFFICIENCY**

# imageRUNNER 2206

Packed with time saving features, the imageRUNNER 2206 speeds up everyday document handling offering print, copy and scanning in a single, compact device. Its durable design makes it ideal for busy, cost-conscious small offices or workgroups.



**PRODUCT DETAILS:**

Product Name	Mercury Code	EAN Code
imageRUNNER 2206 MFP	3030C001AA	4549292129229

**OPTIONAL ITEMS:**

Product Name	Mercury Code	EAN Code
Plain Pedestal Type-J1	1611C001AA	911611C00192A

**CONSUMABLES:**

Product Name	Mercury Code	EAN Code
C-EXV 42 Black Toner	6908B002AA	4960999987408

**MEASUREMENT / LOGISTIC INFORMATION:**

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
imageRUNNER 2206 MFP	3030C001AA	Sheet Pallet	4	75	147	124	144
		Carton	1	75	73	62	35.5

**WHAT'S IN THE BOX?**

- iR2206
- Full toner C-EXV 42
- Power Supply cable
- Getting started sheet
- User Software and Manuals CD-ROM



Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
© Canon Europa N.V., 2018